21st March, 2013

Make the World a Digital Library

Re-envisioning Librarians' Role

Sho Sato (min2fly@slis.tsukuba.ac.jp)

Graduate School of Library, Information and Media Studies, University of Tsukuba



かたつむりは電子図書館の夢をみるか 🖪 🗒 🏭 🛗

<前の日 | 次の日>

2008-01-11 The list of Japanese biblioblogs in English 編集

■ [図書館] [エレクトリック] LibWorld-Japan 暫定リンク集英語版 🔤

というわけで、昨日予告したLibWorldの末尾に挿入予定のリンク集、暫定英語版です。

(日本語版はこちら: The list of Japanese biblioblogs - かたつむりは電子図書館の夢をみるか)

今のところはブログ名については日本語版の横に括弧してローマ字表記

ex)

プロフィール



min2-fly PLUS

大学図書館とか学術 情報流通どかについ て研究している一大

学院生。業績とかは Researchmap.jp (http://researchmap.jp /min2fly) 参照。

最新タイトル

- 図書館][エレクトリック] 自らも 財政が厳しい中で図書館によ るオープンアクセス財政支援を 考える:「図書館によるオープ ンアクセス財政支援」(第7回 SPARC Japanセミナー2012 参加記録)
- 🌻 [図書館] [エレクトリック] 「国会

http://d.hatena.ne.jp/min2-fly/

としていますが、各フロク王の皆さんで英訳タイトルをお狩ちの方、またはこれを慌

加記録その2)



 \leftarrow "informatica08" – Jahr der Informatik in der Schweiz | "Open Education" – Die Kapstadt- Erklärung \rightarrow



Libworld – Japan 14 users 🖵 🖪



Abgelegt unter: Bibliothek | RSS 2.0 | Von: CH | Tags: biblioblogs, english, japan, LibWorld | 2 Kommentare

From Malawi we are jumping to Japan, the next stop of our Libworld tour. This issue is a cooperation of two bibliobloggers. Sho Sato, an undergraduate LIS student of the School of Library and Information Science at the University of Tsukuba, wrote the main article. He is known in the Japanese biblioblogosphere as min2-fly. His blog is wonderfully named "Do Snails Dream of Electronic Library?". The second contributor is known as katz3. He wrote the introductory part of this article. More details about their blogs can be found in the article.

Biblioblogs in Japan

There are so many Japanese biblioblogs that I asked for the cooperation of anyone to help writing the article in my blog. Many bibliobloggers in Japan sent me comments and trackbacks, and Katz3, one of the Japanese bibliobloggers, offered to write Introduction. I'd like to thank all cooperators.

From time out of mind, Japanese like to write diary. The internet is certainly public. It may be out of your knowledge, but many Japanese have published their diaries on the internet before blog tools became common in Japan. Japanese authors write everyday matters, and Japanese readers take reading them for granted.

Über Infobib

Informationen,
Neuigkeiten, Nachrichten
und Berichtenswertes
aus Bibliotheks- und
Informationswissenschaft
und angrenzenden
Interessensgebieten.

Letzte Artikel

Referentenentwurf zu verwaisten Werken und Zweitverwertungsrecht Der Harlem Shake in der Bibliothek Twitter schaltet Posterous ab "Fair Access to Science and Technology Research Act" (FASTR) Zarwell, Lisa-Marie: "Die

Ähnliche Artikel

Suchen

LibWorld and beyond: do we need global LibNews? (3) Libworld - Malawi (1) LibWorld - Italy (13) LibWorld - Switzerland (1) LibWorld - Singapore (3)

Letzte Kommentare

Der Harlem Shake in der Bibliothek (1)

Paul Czickus: Der Harlem Shake in der Bibliothek

#bib6: Anmeldung geht gleich los! (1)

RS: #bib6: Anmeldung geht gleich los!

http://infobib.de/blog/2008/01/28/libworld-japan/

When early Jananese bloogers began to use bloog tools, numerous diary websites had

Letzte Trackbacks

CH: Die Edwin-Mellen-

Sho SATO



Name Sho SATO

Nickname <u>min2fly</u>

Affiliation University of Tsukuba

Section Graduate School of Library, Information

and Media Studies

Job title Graduate Students


Degree MLIS

Last Presentation as a Student

Informatics / <u>Library and information science</u>/ <u>Humanistic social informatics</u>(1280)

Institutional Repositories in Japan

- An online system or service for collecting, managing and disseminating the outputs of a research institution.
- There are over <u>250</u> institutional repositories in Japan.



Institutional Repositories in Japan


An institutional

Content growth (Full text)


Who use the repositories? How? Why and What types of contents?

institution.

• There are over <u>250</u> institutional repositories in Japan.




Case1: Survey of Psychologists



Q. Have you used institutional repositories in the process of information seeking?


Case2: CiNii Usage Study

CiNii Fulltext Usage Statistics by Data Source, 2009-2010




Case3: Use by citizens (1)

Types of user groups for articles deposited in five repositories in Japan




Case3: Use by citizens (2)

The relationship between articles' fields and the number of access: Hokkaido University



Case3: Use by citizens (3)

Access paths of private users in five repositories in Japan



The Role of Institutional Repositories in Japan

- ✓ Digital Publishing Infrastructure
 - Through CiNii
 - Humanities and Social Sciences
 - "Kiyo" Journals
- ✓ Public Access Infrastructure
 - Through Search engines

The Role of Institutional Repositories in Japan

✓ Digital Publishing Infrastructure

Re-envisioning Librarians' Role based on these Facts

- ✓ Public Access Infrastructure
 - Through Search engines

Google

日本の論文をさがす Articles

Google

- The most popular route
- Main users: Citizens

- The platform for articles written in Japanese
- Main users: Scholars, Students







The OAIster® database

Millions of digital resources from thousands of contributors





Users are scarce!

The OAlster® database

Millions of digital resources from thousands of contributors





No Problem!


The OAlster® database


Millions of digital resources from thousands of contributors



Google

日本の論文をさがす Articles







Display Settings: ♥ Abstract

Nat Commun. 2013 Jan 22;4:1367. doi: 10.1038/ncomms2378.

potentially providing a cell source for regenerative therapies of the kidney.

Monitoring and robust induction of nephrogenic intermediate mesoderm from human pluripote

Mae S, Shono A, Shiota F, Yasuno T, Kajiwara M, Gotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda N, Sato-Otubo A, Sato-Otubo A,

1] Center for iPS Cell Research and Application, Kyoto University, 53 Kawahara-cho, Shogoin, Sakyo-ku, Kyoto 606-8507, Japan [2].

Abstract


A method for stimulating the differentiation of human pluripotent stem cells into kidney lineages remains to be developed. Most derived from an embryonic germ layer known as intermediate mesoderm. Here we show the establishment of an efficient system recombination in human pluripotent stem cells by means of bacterial artificial chromosome-based vectors and single-nucleotid array-based detection. This system allowed us to generate human-induced pluripotent stem cell lines containing green fluores into OSR1, a specific intermediate mesoderm marker. We have also established a robust induction protocol for intermediate into multiple cell types of into produces up to 90% OSR1(+) cells. These human intermediate mesoderm cells can differentiate into multiple cell types of into

derived organs in vitro and in vivo, thereby supplying a useful system to elucidate the mechanisms of intermediate mesoderm

PMID: 23340407 [PubMed - in process]

LinkOut - more resources

Full Text Sources Nature Publishing Group



Display Settings: ♥ Abstract

Nat Commun. 2013 Jan 22;4:1367. doi: 10.1038/ncomms2378.

Monitoring and robust induction of nephrogenic intermediate mesoderm from human pluripote

Mae S, Shono A, Shiota F, Yasuno T, Kajiwara M, Gotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda N, Sato-Otubo A, Sato-Otubo A,

1] Center for iPS Cell Research and Application, Kyoto University, 53 Kawahara-cho, Shogoin, Sakyo-ku, Kyoto 606-8507, Japan [2].

Abstract

A method for stimulating the differentiation of human pluripotent stem cells into kidney lineages remains to be developed. Most derived from an embryonic germ layer known as intermediate mesoderm. Here we show the establishment of an efficient system recombination in human pluripotent stem cells by means of bacterial artificial chromosome-based vectors and single-nucleotic array-based detection. This system allowed us to generate human-induced pluripotent stem cell lines containing green fluores into OSR1, a specific intermediate mesoderm marker. We have also established a robust induction protocol for intermediate no produces up to 90% OSR1(+) cells. These human intermediate mesoderm cells can differentiate into multiple cell types of intermediate organs in vitro and in vivo, thereby supplying a useful system to elucidate the mechanisms of intermediate mesoderm.

PMID: 23340407 [PubMed - in process]



potentially providing a cell source for regenerative therapies of the kidney.

Traditional Library



Digital Library



US National Library of Medicine National Institutes of Health

Advanced

Display Settings:

✓ Abstract

Nat Commun. 2013 Jan 22;4:1367. doi: 10.1038/ncomms2378.

Monitoring and robust induction of nephrogenic intermediate mesoderm from human pluripoter

Mae S, Shono A, Shiota F, Yasuno T, Kajiwara M, Gotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cov McMahon AP, Yamanaka S, Osafune K.

1] Center for iPS Cell Research and Application, Kyoto University, 53 Kawahara-cho, Shogoin, Sakyo-ku, Kyoto 606-8507, Japan [2].

Abstract

A method for stimulating the differentiation of human pluripotent stem cells into kidney lineages remains to be developed. Most derived from an embryonic germ layer known as intermediate mesoderm. Here we show the establishment of an efficient system recombination in human pluripotent stem cells by means of bacterial artificial chromosome-based vectors and single-nucleotid array-based detection. This system allowed us to generate human-induced pluripotent stem cell lines containing green fluores into OSR1, a specific intermediate mesoderm marker. We have also established a robust induction protocol for intermediate mesodere up to 90% OSR1(+) cells. These human intermediate mesoderm cells can differentiate into multiple cell types of intermediate or derived organs in vitro and in vivo, thereby supplying a useful system to elucidate the mechanisms of intermediate mesoderm

PMID: 23340407 [PubMed - in process]



potentially providing a cell source for regenerative therapies of the kidney.

WEB OF KNOWLEDGE™

DISCOVERY STARTS HERE



A Survey of Outsourcing in Academic Libraries in Japan

著者名: Sato, S (Sato, Sho)[1]; Itsumura, H (Itsumura, Hiroshi)[1]

出版物名: LIBRARY AND INFORMATION SCIENCE 号: 60 ベージ: 1-27 発行: 2008

被引用数: 0 (Web of Science から)

引用文献: 1 [Related Records を検索] 🖼 引用マップ

抄錄: Purpose: In recent years, university management has been required to be more efficient and outsourcing has been increasingly used in academic libraries in Japan. However, since surveys have not been done to date on the current state of outsourcing in academic libraries in this country, the authors conducted a survey to provide an overview of the situation.

Methods: The survey was conducted from June to August 2007. The questionnaire was distributed to 704 academic libraries. Respondents were asked to indicate which of their services were outsourced by choosing "done by staff", "outsourced" or "service is not offered" for each of 41 potential library operations. We received 358 valid responses: a response rate of 51%.

Results: We found the following:

- 1) Outsourcing is used for many services regardless of the expertise level required.
- 2) When it library outsources technical/public services, outsourcing often extends to the entire range of the service.
- 3) Outsourcing is more extensive at private education-oriented universities than at national/public research-oriented universities.
- 4) Outsourcing is more prevalent in libraries of a larger scale except with regards to management operations.
- 5) Outsourcing is used more often in urban areas. In particular, public services are often outsourced in the Kinki region.

As a result, we were able to conclude that academic library outsourcing is most widely used in private, medium scale and educational-oriented universities in urban areas. It is expected that the use of outsourcing will continue to expand at such universities in the future

WEB OF KNOWLEDGE™

DISCOVERY STARTS HERE



Methods: The survey was conducted from June to August 2007. The questionnaire was distributed to 704 academic libraries. Respondents were asked to indicate which of their services were outsourced by choosing "done by staff", "outsourced" or "service is not offered" for each of 41 potential library operations. We received 358 valid responses: a response rate of 51%.

Results: We found the following:

- Outsourcing is used for many services regardless of the expertise level required.
- 2) When it library outsources technical/public services, outsourcing often extends to the entire range of the service.
- Outsourcing is more extensive at private education-oriented universities than at national/public research-oriented universities.
- Outsourcing is more prevalent in libraries of a larger scale except with regards to management operations.
- 5) Outsourcing is used more often in urban areas. In particular, public services are often outsourced in the Kinki region.

As a result, we were able to conclude that academic library outsourcing is most widely used in private, medium scale and educational-oriented universities in urban areas. It is expected that the use of outcoursing will continue to expand at such universities in the future.



大向 一輝 筆者の気持ちを答えなさい。



いいね!・コメントする・シェア・23時間前・よ

応
Itsumi Komuraさん、小陳左和子さん、首東誠さん、他72人が「いいね!」と言っています。

□ 他21件のコメントを表示



大向 一輝 二十五字以内でお願いします。



金子和 共通の 包 友達

広告 彩



作野 誠さ んの写真! 言ってい

> 【あなた えます】 ネス・ク 立...



☆ このべ

Facebook © 2013

日本語・プライバ: もっと見る *



大向 一輝 筆者の気持ちを答えなさい。



金子和 共通の 包友

広告 弱




【あなた ネス・ク



£ 200℃

もっと見る▼



いいね!・コメントする・シェア・23時間前 CiNii Books

CiNii Books - Find at university libraries


r⁽¹⁾ Itsumi Komuraさん、小陳 左和子さん、首東 誠さん、他72大が「いい ね!」と言っています。


□ 他21件のコメントを表示



大向一輝二十五字以内でお願いします。







Re-envisioning Librarians' Role

✓ Traditional Libraries

People go to libraries to use library services

✓ Digital Libraries

People go to digital library sites to use library services


✓ Next Digital Libraries

<u>Digital libraries' services</u> ubiquitously come along with people

Make the World a Digital Library!



Future Issues



Future Issues of Japanese Repositories

✓ Linking with More Services

Databases: PubMed, Web of Science, Scopus...

Web Services: Amazon, Wikipedia, Facebook, Twitter...

✓ Digitizing Major Journal Titles in Japan

Not only Kiyo-Journals

Linking with More Services

US National Library of Medicine National Institutes of Health

Advanced

Display Settings:

✓ Abstract

Nat Commun. 2013 Jan 22;4:1367. doi: 10.1038/ncomms2378.

Monitoring and robust induction of nephrogenic intermediate mesoderm from human pluripoter

Mae S, Shono A, Shiota F, Yasuno T, Kajiwara M, Gotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda T, Takahashi K, Nakayama N, Cotoda-Nishimura N, Arai S, Sato-Otubo A, Toyoda N, Sato-Otubo A, Sato-Otubo A,

1] Center for iPS Cell Research and Application, Kyoto University, 53 Kawahara-cho, Shogoin, Sakyo-ku, Kyoto 606-8507, Japan [2].

Abstract

A method for stimulating the differentiation of human pluripotent stem cells into kidney lineages remains to be developed. Most derived from an embryonic germ layer known as intermediate mesoderm. Here we show the establishment of an efficient system recombination in human pluripotent stem cells by means of bacterial artificial chromosome-based vectors and single-nucleotid array-based detection. This system allowed us to generate human-induced pluripotent stem cell lines containing green fluores into OSR1, a specific intermediate mesoderm marker. We have also established a robust induction protocol for intermediate into produces up to 90% OSR1(+) cells. These human intermediate mesoderm cells can differentiate into multiple cell types of intermediate organs in vitro and in vivo, thereby supplying a useful system to elucidate the mechanisms of intermediate mesoderm potentially providing a cell source for regenerative therapies of the kidney.

PMID: 23340407 [PubMed - in process]



Digitizing Major Titles in Japan of the JAPAN SPECIAL LIP 2012 vol.57no.4 Library Association MS ED icよし開題を種類なより 847.0N Pharmaceutical Library Bulletin The JAPAN SPECIAL LIBRARIES ASS DIES ON PUBLISHING (SHUPPAN KENKYU) 日本出版学会編集·発行 Edited and Published by the Japan Society of Publishing Studies

Thank You!

min2fly@gmail.com

